The Journal of

Membrane Biology

An international journal for studies on the structure, function and genesis of biomembranes

Volume 116 1990

Editorial Board

W.R. Loewenstein, Miami, Editor-in-Chief

Q. Al-Awqati, Columbia

G. Blobel, Rockefeller

D. Branton, Harvard

P. Cuatrecasas, Warner Lambert

J.M. Diamond, California, L.A.

D. Engelman, Yale

S. Fleischer, Vanderbilt

J.G. Forte, California, Berkeley

G. Guidotti, Harvard

J. Handler, Johns Hopkins

A. Helenius, Yale

L. Heppel, Cornell

W.L. Hubbell, California, L.A.

R.B. Kelly, California, S.F.

A. Klug, Cambridge

P. Läuger, Konstanz

S.E. Luria, MIT

E.A.C. MacRobbie, Cambridge

D.J. Fritts, Assistant to the Editor

V.T. Marchesi, Yale

H.M. McConnell, Stanford

S. McLaughlin, SUNY, Stony Brook

C. Miller, Brandeis

H. Murer, Zurich

G.E. Palade, Yale

E. Racker, Cornell

H. Reuter, Bern

B. Sakmann, Max-Planck, Heidelberg

R.W. Schekman, California, Berkeley

S.G. Schultz, Texas

S.J. Singer, California, S.D.

C.L. Slayman, Yale

K.R. Spring, N.I.H.

C.F. Stevens, Salk Institute

W. Stoeckenius, California, S.F.

D. Urry, Alabama

H.H. Ussing, Copenhagen



Springer International

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Printed in West Germany

© 1990 by Springer-Verlag New York Inc.

Author Index

Ahearn, G.A., Franco, P., Clay, L.P.: Electrogenic 2 Na ⁺ /		Mason, M.J., Grinstein, S.: Effect of Cytoplasmic Acidifi-	
1 H ⁺ Exchange in Crustaceans	215	cation on the Membrane Potential of T-Lymphocytes:	
Armstrong, S.K., see Bullock, J.O., et al	185	Role of Trace Metals	130
Beyer, E.C., Paul, D.L., Goodenough, D.A.: Connexin		Mazzanti, M., DeFelice, L.J.: Ca Modulates Outward	15)
Family of Gap Junction Proteins (topical review)	187	Current through I_{K1} Channels	41
Beyer, E.C., see Musil, L.S., et al	163	McIntosh, M.A., see Bullock, J.O., et al.	
Bourguet, J., see Ibarra, C., et al	57	McKinney, L.C., Gallin, E.K.: Effect of Adherence, Cell	105
Bullock, J.O., Armstrong, S.K., Shear, J.L., Lies, D.P.,		Morphology, and Lipopolysaccharide on Potassium	
McIntosh, M.A.: Erratum	185	Conductance and Passive Membrane Properties of	
Canessa, M., Fabry, M.E., Suzuka, S.M., Morgan, K.,		Murine Macrophage J774.1 Cells	47
Nagel, R.L.: Na ⁺ /H ⁺ Exchange is Increased in Sickle		Meiri, H., see Schwartz, A., et al.	
Cell Anemia and Young Normal Red Cells	107		19
Carlson, R.O., Levitan, I.B.: Constant Turnover of Ara-	~ ~ /		273
chidonic Acid and Inhibition of a Potassium Current		Morgan, K., see Canessa, M., et al.	
in Aplysia Giant Neurons	261	Musil, L.S., Beyer, E.C., Goodenough, D.A.: Expression	107
Carlson, R.O., Levitan, I.B.: Regulation of Intracellular	20.	of the Gap Junction Protein Connexin43 in Embryonic	
Free Arachidonic Acid in Aplysia Nervous System	249	Chick Lens: Molecular Cloning, Ultrastructural Lo-	
Clay, L.P., see Ahearn, G.A., et al		41 .1 4	163
Colden-Stanfield, M., Schilling, W.P., Possani, L.D.,	210		103
Kunze, D.L.: Bradykinin-Induced Potassium Current		Negulescu, P.A., Machen, T.E.: Lowering Extracellular	107
in Cultured Bovine Aortic Endothelial Cells	227	Sodium or pH Raises Intracellular Calcium in Gastric	
DeFelice, L.J., see Mazzanti, M.	41		239
DeHaan, R.L., see Kawano, S.	9	Okubo, K., see Hamasaki, N., et al.	87
Fabry, M.E., see Canessa, M., et al.		Omachi, A., see Hamasaki, N., et al	87
Franco, P., see Ahearn, G.A., et al.		Ortíz, C.E., see Romero, P.J., et al.	19
Gallin, E.K., see McKinney, L.C.	47	Palti, Y., see Schwartz, A., et al.	
Goodenough, D.A., see Beyer, E.C., et al.		Parisi, M., see Ibarra, C., et al.	57
Goodenough, D.A., see Musil, L.S., et al.	163	Paul, D.L., see Beyer, E.C., et al.	
Grinstein, S., see Mason, M.J.		Payne, G.S.: Genetic Analysis of Clathrin Function in	107
Hamasaki, N., Izuhara, K., Okubo, K., Kanazawa, Y.,	107	Yeast (topical review)	93
Omachi, A., Kleps, R.A.: Inhibition of Chloride Bind-		Pope, A.J., Jennings, I.R., Sanders, D., Leigh, R.A.:	,,
ing to the Anion Transport Site by Diethylpyrocarbon-		Characterization of Cl Transport in Vacuolar Mem-	
ate Modification of Band 3	87	brane Vesicles Using a Cl ⁻ -Sensitive Fluorescent	
Hanrahan, J.W., Tabcharani, J.A.: Inhibition of an Out-	0,	Probe: Reaction Kinetic Models for Voltage- and	
wardly Rectifying Anion Channel by HEPES and Re-		Concentration-Dependence of Cl ⁻ Flux	129
lated Buffers	65		227
Horowicz, P., see Spalding, B.C., et al	195	Pressel, D.M., Misler, S.: Sodium Channels Contribute	
Ibarra, C., Ripoche, P., Parisi, M., Bourguet, J.: Effects		to Action Potential Generation in Canine and Human	
of PCMBS on the Water and Small Solute Permeabili-		Pancreatic Islet B Cells	273
ties in Frog Urinary Bladder	57	Ripoche, P., see Ibarra, C., et al	57
Inesi, G., Kirtley, M.E.: Coupling of Catalytic and Chan-		Romero, P.J., Ortíz, C.E., Melitto, C.: Metabolic Control	
nel Function in the Ca ²⁺ Transport ATPase (topical		of the K + Channel of Human Red Cells	19
review)	1		129
Izuhara, K., see Hamasaki, N., et al.	87	1	227
Jennings, I.R., see Pope, A.J., et al.	129	Schwartz, A., Palti, Y., Meiri, H.: Structural and Develop-	
Kanazawa, Y., see Hamasaki, N., et al.	87	mental Differences between Three Types of Na Chan-	
Kanno, T., Takishima, T.: Chloride and Potassium Chan-		nels in Dorsal Root Ganglion Cells of Newborn Rats	117
nels in U937 Human Monocytes	149	Shear, J.L., see Bullock, J.O., et al	185
Kawano, S., DeHaan, R.L.: Analysis of the T-Type Calci-		Spalding, B.C., Taber, P., Swift, J.G., Horowicz, P.: Zinc	
um Channel in Embryonic Chick Ventricular Myo-		Inhibition of Chloride Efflux from Skeletal Muscle of	
cytes	9	Rana pipiens and Its Modification by External pH and	
Kirtley, M.E., see Inesi, G	1		195
Kleps, R.A., see Hamasaki, N., et al.	87	Suzuka, S.M., see Canessa, M., et al.	107
Krüppel, T., Lueken, W.: Calcium-Dependent Sodium		Swift, J.G., see Spalding, B.C., et al	195
Current in the Marine Ciliate Euplotes vannus	79	Tabcharani, J.A., see Hanrahan, J.W.	65
Kunze, D.L., see Colden-Stanfield, M., et al	227	Taber, P., see Spalding, B.C., et al.	195
Leigh, R.A., see Pope, A.J., et al.	129	Takishima, T., see Kanno, T	149
	, 261	Tazawa, M., see Wayne, R	31
Lies, D.P., see Bullock, J.O., et al	185	Wayne, R., Tazawa, M.: Nature of the Water Channels	
Lueken, W., see Krüppel, T.	79	in the Internodal Cells of Nitellopsis	31
Machen, T.E., see Negulescu, P.A.	239		
Madara, J.L.: Maintenance of the Macromolecular Bar-			
rier at Cell Extrusion Sites in Intestinal Epithelium:			
Physiological Rearrangement of Tight Junctions	177	Covered in Current Contents, SCI, ASCA and ISI BIOMEI	D
Till olological recurrence			

Instructions to Authors

General

- 1. Authors should submit **four complete copies** (the original and three copies) to the Editor-in-Chief of **The Journal of Membrane Biology.** The original illustration material (original drawings, etc.) and three sets of copies should be submitted together with the manuscript. It is recommended that the authors suggest four to six names, including addresses and specific fields of interest, of possible referees for their paper.
- 2. Papers will be published in **English**. Because of the interdisciplinary nature of the journal, authors should strive to **avoid technical jargon** and to define specialized terminology.
- 3. Papers which are ready to go to the printers can be published within a **short period.**

Preparation of Manuscripts

- 4. Papers should be **typewritten**, double-spaced on one side of letter size paper preferably not larger than $8^{1/2''} \times 11^{3/4''}$ and with a margin 2" wide on the left. All pages should be numbered serially. References, Tables, footnotes and legends for illustrations should be typed (double-spaced) on separate pages. Manuscripts typed with a dot-matrix printer are not acceptable.
- 5. The first page should contain:
- a) the title
- b) the name(s) of the author(s)
- c) the name of the laboratory where the work was carried out
- d) a running title of not more than 40 characters including spaces
- e) footnotes to the title.
- 6. Papers should be preceded by a **summary** of not more than 225 words. The summary should be intelligible to the general reader without reference to the text. Abbreviations should be avoided in the summary.
- 7. The summary should be followed by about 6 **key words** that will identify the subjects under which the article can be indexed.
- 8. The **bibliography** must refer only to work cited in the text. References must be listed alphabetically at the end of the paper including full titles and with abbreviations according to the Bibliographic Guide for Editors & Authors.
- Eigen, G.S. 1960. The kinetics of cation transport. *Proc. R. Soc. London* **138**:182–191
- Gibbs, T., Charles, R.T. 1961. Enzymes in membranes. *In:* The Molecular Structure of Membranes. B.A. Selkirk, editor. pp. 53–60. Springer-Verlag, New York

Inclusive pagination, stating first and last page numbers of articles, must be used.

Citations in the text should be given in parentheses; e.g., (Huntley & Briarly, 1967), or (Carson, 1940; Hopkins, 1943), except when the author's name is part of a sentence; e.g., "Harding (1968) reported that . . ." . When a paper with three authors is cited, all authors are named in the first citation, but subsequently only the first author is named; e.g., (Miller et al., 1963). When a paper with *more* than three authors is cited, only the first author is named; e.g., (Smith et al., 1987). Another form of citation uses numbers in square brackets referring to an alphabetically ordered bibliography list. Either form is acceptable when used consistently throughout the paper.

9. **Footnotes** should be kept to a minimum and numbered consecutively throughout the paper. Footnotes to the title or authors of

the article are to be marked by asterisks and to be placed on the title page. Footnotes to formulae are to be marked by asterisks, too.

10. Figures must be separated from the text and numbered. Original drawings and graphs should be made in India ink on white bristol board. Clean glossy prints of these, shot in sharp focus to final size (50%) are preferred. Figures should be prepared to fit one column (8.1 cm) or, on rare occasions, two columns (16.9 cm), after a reduction to 50%. Lettering, thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas should be large enough so as to be legible after reduction. Final size of letters should be: 2 mm for capital letters and numbers; 1.6 mm for lower case letters. If the size of the lettering is inadequate for reduction to 50%, figures will be returned to the authors, causing considerable delay.

The publisher reserves the right to reduce or enlarge illustrations.

Illustrations requiring reproduction as half-tone plates should be kept to a minimum. Photographs should be clean glossy prints in sharp focus and as rich in contrast as possible. They should be trimmed at precise right angles. Scales should be given.

11. Typewritten mathematical equations should be styled so as to avoid misinterpretation by the printer.

All letters contained in formulae as well as single letters in the text are automatically set in italics and therefore require no underlining. Hence, abbreviations that appear in formulae and are to be set in Roman type (the type normally used for the text) should be specially marked by underlining in yellow, if possible.

It will be helpful to the printer if **Greek characters are underlined in red and Script in green.** Small letters should then be underlined once and capital letters twice; this applies also to Latin letters in formulae (in pencil). Boldface type (heavy type) should be marked by wavy underlining.

Subscripts and superscripts should be clarified by caret and inverted caret marking 1_7^2 , 1_2^2 ; a subscript to a subscript, by 1_{23}^{∞} .

Obscure primes and dots must be called to the attention of the printer. Mark very clearly: number 1 and letter l; zero and letter, O, o; e and c; e and l; n, u and v; primes and apostrophes. Use fractional exponents instead of root signs and the solidus (/) for fractions wherever their use will save vertical space, exp () notation when the exponent is complicated.

All equations must be numbered sequentially in arabic numerals in parentheses on the right hand side of the page.

12. **Symbols** and **abbreviations** for units of measurements should follow the CBE Style Manual (5th ed. rev.) (Council of Biology Editors, Inc., 9650 Rockville Pike, Bethesda, MD 20814).

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; that the manuscript will not be published elsewhere in any language without the consent of the copyright holders; that written permission of the copyright holder is obtained by the authors for material used from other copyrighted sources; and that any costs associated with obtaining this permission are the authors' responsibility.